

**ИЗУЧЕНИЕ ТРАНСПОРТНЫХ СВОЙСТВ Н-НОНАНА В МОДЕЛИ SAFT- $\gamma$  MIE**

- [1] Williams D. E. Nonbonded Potential Parameters Derived from Crystalline Hydrocarbons // *J. Chem. Phys.* — 1967. — Vol. 47. — P. 4680–4684.
- [2] Jorgensen W. L., Madura J.D., Swenson C.J. Optimized Intermolecular Potential Functions for Liquid Hydrocarbons // *J. Am. Chem. Soc.* — 1984. — Vol. 106. — P. 6638–6646.
- [3] Ungerer P., Lachet V., Tavitian B. Applications of Molecular Simulation in Oil and Gas Production and Processing // *Oil Gas Sci. Technol.* — 2006. — Vol. 61.
- [4] Jorgensen William L., Maxwell David S., Tirado-Rives Julian. Development and Testing of the OPLS All-Atom Force Field on Conformational Energetics and Properties of Organic Liquids // *J. Am. Chem. Soc.* — 1996. — Vol. 118, no. 45. — P. 11225–11236.
- [5] Martin Marcus G., Siepmann J. Ilja. Transferable Potentials for Phase Equilibria. 1. United-Atom Description of n-Alkanes // *J. Phys. Chem. B.* — 1998. — Vol. 102, no. 14. — P. 2569–2577.
- [6] SAFT- $\gamma$  Force Field for the Simulation of Molecular Fluids. 5. Hetero-Group Coarse-Grained Models of Linear Alkanes and the Importance of Intramolecular Interactions. / Rahman S. U., Lobanova O. R., Jiménez-Serratos G., Braga C., Raptis V., Müller E. A., Jackson G., Avendaño C., and Galindo A. // *J. Phys. Chem. Biophys.* — 2018. — Vol. 122 39. — P. 9161–9177.
- [7] Potoff J., Bernard-Brunel D. Mie Potentials for Phase Equilibria Calculations: Application to Alkanes and Perfluoroalkanes // *J. Phys. Chem. Biophys.* — 2009. — Vol. 113. — P. 14725–14731.
- [8] A Coarse Grain Model for n-Alkanes Parameterized from Surface Tension Data. / Nielsen S. O., Lopez C. F., Srinivas G., and Klein M. L. // *J. Chem. Phys.* — 2003. — Vol. 119. — P. 7043–7049.
- [9] Maerzke K., Siepmann J. Transferable Potentials for Phase Equilibria-Coarse-Grain Description for Linear Alkanes // *J. Phys. Chem. Biophys.* — 2011. — Vol. 115. — P. 3452–3465.
- [10] Thompson A. P. et al. LAMMPS - a flexible simulation tool for particle-based materials modeling at the atomic, meso, and continuum scales // *Comput. Phys. Commun.* — 2022. — Vol. 271. — P. 108171.
- [11] Shinoda Wataru, Shiga Motoyuki, Mikami Masuhiro. Rapid estimation of elastic constants by molecular dynamics simulation under constant stress // *Phys. Rev. B.* — 2004. — Apr. — Vol. 69, no. 13. — P. 134103. — Access mode: <https://link.aps.org/doi/10.1103/PhysRevB.69.134103>.
- [12] Assael M.J., Papadaki M. I. Measurements of the viscosity of n-heptane, n-nonane, and n-undecane at pressures up to 70 MPa // *Int. J. Thermophys.* — 1991. — Vol. 12. — P. 801–810.
- [13] Kondratyuk N., Lenev D., Pisarev V. Transport coefficients of model lubricants up to 400 MPa from molecular dynamics // *J. Chem. Phys.* — 2020. — Vol. 152, no. 19. — P. 191104.
- [14] Winkelmann Jochen. Self-diffusion coefficient of nonane: Datasheet from Physical Chemistry · Volume 15B1: “Diffusion in Gases, Liquids and Electrolytes” in SpringerMaterials ([https://doi.org/10.1007/978-3-540-73735-3\\_210](https://doi.org/10.1007/978-3-540-73735-3_210)). — Copyright 2017 Springer-Verlag GmbH Germany.
- [15] Kondratyuk N. D., Orekhov M. A. Shear viscosity of n-pentane from diffusivity based molecular dynamics methods // *J. Phys.: Conf. Ser.* — 2020. — may. — Vol. 1556, no. 1. — P. 012048. — Access mode: <https://dx.doi.org/10.1088/1742-6596/1556/1/012048>.